

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alpine Scheibenklar -20°C

Print date: 27.07.2016

Product code: MIT0050

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Alpine Scheibenklar -20°C

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Mitan Mineralöl GmbH	
Street:	Industriestraße 8	
Place:	D-49577 Ankum	
Telephone:	+49 (0)5462/7470-50	Telefax: +49 (0)5462/7470-33
e-mail:	info@mitan-oil.de	
e-mail (Contact person):	sicherheitsdatenblatt@mitan-oil.de	
Internet:	www.mitan-oil.de	

##### 1.4. Emergency telephone

**number:** Gif tinformat ionszentrum Nord (Göttingen)

+49 (0)551/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapour.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

**Signal word:** Warning

**Pictograms:**



###### Hazard statements

H226 Flammable liquid and vapour.

###### Precautionary statements

P501 Dispose of contents/container to Dispose of waste according to applicable legislation..

P403+P235 Store in a well-ventilated place. Keep cool.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P102 Keep out of reach of children.

##### 2.3. Other hazards

No information available.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alpine Scheibenklar -20°C**

Print date: 27.07.2016

Product code: MIT0050

Page 2 of 8

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64-17-5	ethanol, ethyl alcohol			25-<50 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			

Full text of H and EUH statements: see section 16.

**Labelling for contents according to Regulation (EC) No 648/2004**

&lt; 5 % anionic surfactants, perfumes.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air.

**After contact with skin**

In case of skin irritation, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder. In case of major fire and large quantities:

Water spray jet alcohol resistant foam

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Do not empty into drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alpine Scheibenklar -20°C

Print date: 27.07.2016

Product code: MIT0050

Page 3 of 8

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

No special measures are necessary.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### **Advice on storage compatibility**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## SECTION 8: Exposure controls/personal protection

### **8.1. Control parameters**

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

### **8.2. Exposure controls**



#### **Protective and hygiene measures**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### **Eye/face protection**

Wear eye/face protection.

#### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### **Skin protection**

Wear suitable protective clothing.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alpine Scheibenklar -20°C**

Print date: 27.07.2016

Product code: MIT0050

Page 4 of 8

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	blue
Odour:	characteristic

**Test method**

pH-Value (at 20 °C):	7,1
----------------------	-----

**Changes in the physical state**

Melting point:	-22 °C
----------------	--------

Initial boiling point and boiling range:	78 °C
--	-------

Flash point:	28 °C	DIN 51755
--------------	-------	-----------

**Flammability**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Lower explosion limits:	3,5 vol. %
-------------------------	------------

Upper explosion limits:	15 vol. %
-------------------------	-----------

Ignition temperature:	425 °C	DIN 51794
-----------------------	--------	-----------

**Auto-ignition temperature**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

**Oxidizing properties**

Not oxidizing.

Vapour pressure: (at 20 °C)	59 hPa
--------------------------------	--------

Density (at 20 °C):	0,95 g/cm <sup>3</sup>
---------------------	------------------------

Water solubility:	easily soluble
-------------------	----------------

**Solubility in other solvents**

not determined

Partition coefficient:	not determined
------------------------	----------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

**9.2. Other information**

Solid content:	not determined
----------------	----------------

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Flammable.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alpine Scheibenklar -20°C

Print date: 27.07.2016

Product code: MIT0050

Page 5 of 8

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 6200 mg/kg	Rat	IUCLID	
	inhalative (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
64-17-5	ethanol, ethyl alcohol				
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alpine Scheibenklar -20°C**

Print date: 27.07.2016

Product code: MIT0050

Page 6 of 8

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Waste disposal number of waste from residues/unused products**070101 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; aqueous washing liquids and mother liquors  
Classified as hazardous waste.**Waste disposal number of used product**150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances  
Classified as hazardous waste.**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 1987
<b>14.2. UN proper shipping name:</b>	ALCOHOLS, N.O.S. (ETHANOL (ETHYLALCOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3



Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alpine Scheibenklar -20°C**

Print date: 27.07.2016

Product code: MIT0050

Page 7 of 8

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYLALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Special Provisions: 274 601  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYLALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: 223, 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D

**Air transport (ICAO)**

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYLALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: A3 A180  
Limited quantity Passenger: 10 L  
Passenger LQ: Y344  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 355  
IATA-max. quantity - Passenger: 60 L  
IATA-packing instructions - Cargo: 366  
IATA-max. quantity - Cargo: 220 L

**14.6. Special precautions for user**

Warning: Combustible liquid.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alpine Scheibenklar -20°C**

Print date: 27.07.2016

Product code: MIT0050

Page 8 of 8

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 49,99 % (474,905 g/l)

2004/42/EC (VOC): 49,99 % (474,905 g/l)

**Additional information**

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/EC.

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*